



Airbrush SA Series



This is a precisely machine fine nozzle which is suitable for wide range of art work such as model /craft painting, nail art, tattoo art, tanning etc.

SA-720 Airbrush

- Dual action trigger
- All metal airbrush
- Internal mix, Siphon-feed
- Fluid nozzle: 0.4mm
- Working pressure 15-45psi
- Detachable glass bottle: 22 c.c.



SA-722 Airbrush

- Dual action trigger
- All metal airbrush
- Internal mix, Gravity-feed
- Fluid nozzle: 0.2mm
- Working pressure: 15-45psi
- Capacity of fixed cup: 1.5 C.C.



SA-723 Airbrush

- Dual action trigger
- All metal airbrush
- Internal mix, Gravity-feed
- Fluid nozzle: 0.2mm
- Working pressure: 15-45psi
- Capacity of fixed cup: 1.5 C.C.
- Spray control: Back stop screw



SA-724 Airbrush

- Dual action trigger
- All metal airbrush
- Internal mix, Gravity-feed
- Fluid nozzle: 0.3mm
- Air consumption: 15-45psi
- Capacity of fixed cup(W/lid): 9 C.C.



SA-725 Airbrush

Dual action trigger
All metal airbrush
Internal mix, Gravity-feed
Fluid nozzle: 0.3mm
Working pressure: 15-45psi
Capacity of fixed cup (W/ lid): 9 C.C.
Spray control: Back stop screw



SA-726 Airbrush

Dual action trigger
All metal airbrush
Internal mix, Side-feed
Fluid nozzle: 0.3mm
Working pressure: 15-45psi
Capacity of adjustable side cup (W/ lid): 9 C.C.



SA-727 Airbrush

Dual action trigger
All metal airbrush
Internal mix, Side-feed
Fluid nozzle: 0.3mm
Working pressure: 15-45psi
Capacity of adjustable side cup (W/ lid): 9 C.C.
Spray control: Back stop screw



SA-728 Airbrush

Dual action trigger
All metal airbrush
Internal mix, Gravity-feed
Fluid nozzle: 0.2mm
Working pressure: 15-45psi
Capacity of fixed cup: 0.4 C.C.



SA-729 Airbrush

Dual action trigger
All metal airbrush
Internal mix, Gravity-feed
Fluid nozzle: 0.2mm
Working pressure: 15-45psi
Capacity of fixed cup: 0.4 C.C.
Spray control: Back stop screw



SF-2030 Airbrush

Dual action trigger
All metal airbrush
Internal mix, Gravity-feed
Fluid nozzle: 0.35mm
Working pressure: 15-45psi
Capacity of changeable cup:
2c.c (W/ o lid) and 7 c.c. (W/ lid)



SF-2031 Airbrush

Dual action trigger
All metal airbrush
Internal mix, Gravity-feed
Fluid nozzle: 0.35mm
Working pressure: 15-45psi
Capacity of changeable cup:
2c.c (W/ o lid) and 7 c.c. (W/ lid)
Spray control: Back stop screw



SF-2030R Airbrush

Dual action trigger
All metal airbrush
Internal mix, Gravity-feed
Fluid nozzle: 0.35mm
Working pressure: 15-45psi
Capacity of changeable cup:
2c.c (W/ o lid) and 7 c.c. (W/ lid)
Air control valve



SF-2031R Airbrush

Dual action trigger
All metal airbrush
Internal mix, Gravity-feed
Fluid nozzle: 0.35mm
Working pressure: 15-45psi
Capacity of changeable cup:
2c.c (W/ o lid) and 7 c.c. (W/ lid)
Air control valve

Spray gun design idea, Versatile airbrush, Easy to handle



SP-35 Airbrush

Dual action trigger
Gravity side feed system
Nozzle size:0.35mm
Fluid cup:7 cc. & 15 cc.
(Changeable paint cup)



SP-100 Airbrush

Dual action trigger
Gravity side feed system
Nozzle size:0.5mm
Fluid cup:15 cc. & 50 cc.
(Changeable paint cup)
Fan-Pattern Spray



TN-132 Airbrush

Single action

Fluid nozzle:0.5mm
Working pressure: 40psi
Cup capacity : 90c.c.c.
Cup flx: detachable

*Easy to installation, fix on table for your airbrush kits,
suitable for professional airbrush*



SP-007 3 IN 1 Clean Pot

Clean pot / Airbrush holder / Palette

Glass pot providing more weight at the bottom

Height:5 inch

Diameter of the bottom:5 inch

The latest design clean pot is not only for cleaning the residual paints in airbrushes, but also provides 2 extra functions. One is the cap which can be used as the palette and water cap. The other is airbrush holder.

SD-150 Holder

SD-150A Holder(W/detachable filter holder)

Maximum hold : 4 sets

Turning angle : 360°

Holder direction : 2 directions



SD-150 Holder

SD-150A Holder

Airbrush kit for hobby, art work



SA-060 Airbrush Kit

Light-weight airbrush
 Transparent outlook
 Single action / external-mix
 Working pressure:15-50psi
 Spray pattern:3/32*(2.5mm)-2*(50mm)



SA-650 Airbrush Kit

Working pressure:15-30psi
 Air Consumption:0.6-1.0CFM
 Glass jar:22 C.C

SA-600B Airbrush Kit

Working pressure:15-35psi
 Air Consumption:0.6-1.0CFM
 Glass jar:22 C.CX2



SA-600D Airbrush Kit (W/ Air can)

Working pressure:15-35psi
 Air Consumption:0.6-1.0CFM
 Glass jar:22 C.CX2
 Air Can:R134a(OZONE SAFE FORMULA) or R22



Utility Kit

The utility kit develops itself as multi-functional, easy portable, deluxe, practical essence and innovative outer blow case packing.

AIRBRUSH SERIES



**SUN MINES
ELECTRICS CO.,LTD**



TEL:+886-2-2662-9292

FAX:+886-2-2662-7575



info@sunmines.com.tw

Website: www.blowtac.com.tw



7F, No.153, Sec. 3, Beishen Rd,
Shenkeng Dist, New Taipei City 222, Taiwan

